Index to Volume III

Acallyntrum, 67, 77
Acanthocybium solandri, 275
Acis orientalis, 200–202
  squamata, 198
Acronychia Esquirolii, 158, 159
Acrulocercus bishopi, 226
Actornithophilus epiphanes, 278
Aedes, 3, 8, 29, 40, 54, 61
  (*Aedes*), 11, 62
    funereus, 62
    lineatus, 62–63 (fig.)
  (*Aedimorphus*), 11
    vexans, 3, 60–61 (fig.)
  aegypti, 129, 278
  albopictus, 131, 132
  argenteus, 131, 132
  (*Banksinella*), 11
  (*Finlaya*), 11, 42, 43
    candidoscutellum, 43, 48–50 (fig.)
    hollandius, 43, 51–52 (fig.)
    keefei, 43, 44–46 (fig.)
    kochi, 3, 43, 47–48 (fig.)
    notoscriptus, 43–44 (fig.)
    novalbitarsis, 43, 51, 52–54 (fig.)
    papuensis, 43, 50–51 (fig.)
    quasirubrithorax, 44, 46
    wallacei, 3, 43, 46–47 (fig.)
  (*Leptosomatomyia*), 11
    aurimargo, 63–64 (fig.)
  (*Macleaya*), 11
    tremula, 54 (fig.)
  (*Mucidus*), 11, 40–42
    alternans, 40–41 (fig.)
    aurantius aurantius, 3, 41
    aurantius chrysogaster, 41–42 (2 figs.)
  (*Ochlerotatus*) *vigilax*, 42–43 (fig.)
  (*Skusea*), 11
    dasyorrhus, 54–55 (fig.)
  spp., 278
  (*Stegomyia*), 11
    aegypti, 3, 5, 7, 56, 57–59 (fig.)
    albolineatus, 56, 59–60 (fig.)
    albopictus, 56, 57
    samarensis, 57
    scutellaris, 56–57 (fig.)
Aedimorphus, 60
Aedomyia, 8, 10, 28, 38
  catasticta, 3, 38–40 (fig.)
Aeschynomene laevis, 146, 149
agriculture on atolls, 89–92
albatrosses, 104–110, 283–295
"Albatross Expedition" (1902–1903), 200, 207
Alcyonacea, 195
Alcyonaria of Bikini and Other Atolls in the Marshall Group, 195–214
Alectryon, 296, 301
  excelsum, 301
  macrococcus, 296, 299, 300, 301
  (§ *Mahoe*) *Mahoe*, n. sp., 296–301 (2 figs.)
Aleurites moluccana, 227
Aleutian Islands, beaked whales from, 353
alfalfa, 117
algae of New Zealand, notes on, 340–352
Allamanda verticillata, 149
Alstonia, revision of genus, 133–182
Alstonia actinophylla, 138, 140, 154–155
  acuminata, 166
  angustifolia, 134, 138, 142, 159–160, 161, 163, 165, 177
    var. *annamensis*, 142, 160
    var. *elliptica*, 159, 160
    var. *latifolia*, 142, 159, 160, 177
  angustiloba, 133, 134, 135, 138, 140, 145, 152–153, 161, 162, 178, 180
    var. *β glabra*, 152, 180
  Balansae, 180
  Batino, 164, 165
  Beccarii, 159
  Boonei, 133, 134, 136, 138, 139, 150–151, 152, 178, 180
  Brassii, n. sp., 136, 138, 142, 165, 166–167
  calophylla, 145, 152
  ciliata, 178
  cochinchinensis, 153
  Comptonii, 137, 138, 143, 177
  congensis, 133, 136, 138, 139, 150, 151–152, 178, 180
    var. *glabrata*, 151
  constricta, 134, 138, 142, 167, 168–169, 180
    var. *mollis*, 168, 169
    var. *montmariensis*, 168, 169
  coriacea, 176
  costata, 133, 138, 142, 144, 164, 165, 168, 171, 174–175, 178
  costulata, 178
  cuneata, 153, 154
  Curtisii, 138, 140, 141, 158
  Deplanchei, 138, 143, 175
  Duerkheimiana, 169, 170
  edulis, 178
  elliptica, 174, 177
  Esquirollii, 158, 159

eximia, 178
ficifolia, 179
filipes, 175
fragrans, 174
Gilletii, 136, 151, 152, 180
var. *Laurentii*, 151
glabriflora, 136, 138, 142, 167
glaucescens, 138, 139, 144–146
Godeffroyi, 136, 138, 172, 177, 178
grandifolia, 179, 180
hoedti, 166
intercedens, 178
iwahigensis, 152, 153
Kurzii, 136, 147, 149, 178
lanceolata, 138, 143, 169, 176
lanceolifera, 176
latifolia, 160
Legouixiae, 138, 144, 167, 176, 177
Lenormandi, 138, 144, 173, 175–176, 177
var. *coriacea*, stat. nov., 144, 175, 176
var. *lanceolifera*, stat. nov., 144, 176
linearifolia, 180
linearis, 138, 141, 167
longifolia, 179
longissima, 161, 162, 163, 178
lucida, 179
macrophylla, 138, 142, 161, 164–165, 166, 174, 178
var. *acuminata*, 142, 166
var. β *glabra*, 164, 165
var. *glabra*, 167
var. *mollis*, 164, 165
Mairei, 138, 141, 157–158
micrantha, 179
mollis, 168, 169
montana, 138, 143, 170, 171, 172, 173, 174, 178
var. *filiformis*, var. nov., 144, 173–174
Muelleriana, 134, 136, 138, 141, 163–164
var. *parvifolia*, 163, 164
neriifolia, 136, 138, 141, 155, 156–157, 180
var. *glabra*, var. nov., 141, 157
oblongifolia, 164, 165
oleandraefolia, 149
ophioxyloides, 138, 142, 163
pachycarpa, 136, 144, 145, 146, 180
pangkorensis, 164, 165
parvifolia, 138, 142, 160–161
paucinervia, 164, 165, 167, 178
paupera, 157, 158
pedicellata, 178
plumosa, 136, 138, 142, 143, 168, 170–178
polyphylla, 179
pneumatophora, 138, 140, 149, 153, 154, 180
var. *petiolata*, var. nov., 140, 153
quaternata, 137, 138, 144, 177, 178
Reineckeana, 137, 138, 143, 170, 171, 172, 178
retusa, 174
Roeperi, 138, 143, 170, 171
rostrata, 136, 144, 145, 146
rupestris, 138, 141, 158
saligna, 137, 138, 143, 167, 176–177
scholaris, 133, 134, 135, 137, 138, 139, 146–150, 151, 152, 155, 161, 162, 178, 180
β *Blumii*, 146, 149
γ *Avae*, 147, 149
var. *velutina*, var. nov., 139, 150
Schumanniana, 179
Sebusi, comb. nov., 138, 140, 157
var. *szemaoensis*, var. nov., 140, 157
sericea, 156, 157, 180
Setchelliana, 172, 178
Smithii, 173
somersetensis, 134, 161, 162, 163
spatulata, 134, 135, 138, 140, 149, 153–154, 178, 180
spectabilis, 133, 134, 135, 136, 138, 141, 142, 147, 149, 152, 160, 161–163, 164, 178
var. *bantamensis*, 178
stenophylla, 180
subsessilis, 166
theaeformis, 137, 179
undulata, 180
venenata, 133, 136, 138, 140, 155–156, 157, 158
var. *pubescens*, var. nov., 140, 156, 157
verticillata, 155
verticillosa, 154
Vieillardi, 134, 138, 143, 169–170
villosa, 136, 161, 162, 163, 164, 171, 172
var. β *glabra*, 161, 163
forma *calvescens*, 161, 163, 172, 178
viscosa, 178
vitiensis, 134, 138, 143, 168, 170, 171, 172
var. *novo-ebudica*, var. nov., 143, 171–172
yunnanensis, 138, 140, 155, 158-159
Alyxia actinophylla, 154, 155
calophylla, 144, 145
glaucescens, 144, 145, 146
Legouixiae, 176
Amaranthus viridis, 339
Amblyocalyx, 137, 138
Beccarii, 138, 159, 160
Amblyomma sp., 278
Ammophila arenaria, 107
Ananas comosus, 112, 117
Anguillulinidae, 111
Anopheles, 10, 11, 21, 38
(*Anopheles*) *barbirostris barbirostris*, 3, 11, 12–13 (fig.)
(*Myzomyia*) *clowi*, 12, 17, 19–20
farauti, 12, 16, 17, 18–19 (fig.), 20
karwari, 3, 11, 14–15 (fig.)
koliensis, 12, 16, 18, 20–21 (fig.)
lungae, 11, 13–14
punctulatus, 12, 16–18 (fig.), 18, 19, 20
subpictus subpictus, 3, 11, 14, 15–16 (fig.)
Anous stolidus pileatus, 278
Apalopteron familiare familiare, 290
Aphelenchoides, 114, 118
Aplonis opaca ponapensis, 278
Apocynaceae, 133, 138, 173

Armigeres, 8, 11, 64
breinli, 65–66 (fig.), 67
lacuum, 67
milnensis, 65, 66–67 (fig.)
arthropods from Ponape, 278
Asio flammeus sandwichensis, 228
atolls, 89–92, 103–110
Alcyonaria of, 195–214
vegetation and salinity of, 89–92
Atoll Vegetation and Salinity, 89–92
AUSTIN, OLIVER L., JR.:
The Status of Steller's Albatross, 283–295
Australasian Region, 3
Austromuellera, 187
Auxis thazard, 276
Avena sativa, 117
Axinellidae, 124

Balanus auricoma, 97
(*Chirona*) *krügeri*, 93, 96, 97
(*Solidobalanus*) *hawaiensis*, 96–97 (fig.), 99
pseudauricoma, 96, 97–99 (fig.)
Banksinella, 61–62
Barringtonia asiatica, 90, 91
BAYER, FREDERICK M.:
The Alcyonaria of Bikini and Other Atolls in the Marshall Group. Part I: The Gorgonacea, 195–214
beaked whales from Aleutian Islands, 353
Berardius bairdii, 353
Bidens pilosa, 117
Bikini, Alcyonaria of, 195–214
Bikini Scientific Resurvey Expedition (1947), 195
birds, 103–110, 127–132, 226–230, 283–295
blood protozoa of, 127–132
on Midway, 103–110
native, on Molokai, Hawaii, 226–230
status of Steller's albatross, 283–295
Bironella, 10, 21
(*Bironella*) *gracilis*, 23
soesiloi, 21–23 (fig.)
(*Brugella*) *hollandi*, 21
Blaberopus, 134, 136, 137, 138, 139, 140, 155–159, 180
lucidus, 179
neriifolius, 156
rupestris, 158
Sebusi, 136, 157
sericeus, 156
venenatus, 155
villosus, 161
var. β *petiolata*, 161, 162
black-footed albatross, 104, 105, 106, 284, 285, 288, 289, 291, 293, 294
blood protozoa of birds, 127–132
Boehmeria, 232, 233, 253
glabra, 232
melastomaefolia, 232, 243
ovata, 261
Boehmerieae, 233
Boerhavia diffusa, 338, 339
Bonin Islands, 93–99, 289–291
Books:
In Gardens of Hawaii (News Note), 100
Seashore Treasures (News Note), 354
The Spell of the Pacific (News Note), 280
Boophilus sp. (= *B. annulatus australis*?), 278
Botany:
A Second Hawaiian Species of *Alectryon* (Sapindaceae), 296–301
Atoll Vegetation and Salinity, 89–92
Finschia—A Genus of "Nut" Trees of the Southwest Pacific, 187–194.
Flora of Johnston Island, Central Pacific, 338–339
In Gardens of Hawaii (News Note), 100
Notes on Marine Algae of New Zealand. I, 340–352
Revision of Genus *Alstonia*, 133–182
Taxonomic Revision of the Genus *Neraudia* (Urticaceae), 231–270
Brandella compressa, 206
Brassica oleracea var. *capitata*, 117
breadfruit, 90, 91
BROCK, VERNON E.:
A Preliminary Report on *Parathunnus sibi* in Hawaiian Waters and a Key to the Tunas and Tuna-like Fishes of Hawaii, 271–277
Bruguiera conjugata, 92
Buckinghamia, 187
buckwheat, 117

Calantica, 94, 95, 96
(*Paracalantica*) *ikedai*, subgen. et sp. nov., 93–96 (2 figs.)
Caligorgia, 207
flabellum, 207
pseudoflabellum, n. sp., 196, 199 (fig.), 203 (fig.), 207, 214 (pl.)
Calliactis armillatas, 306
Callithamnion levringii n. sp., 350–351 (fig.)
licomophorum, 351
Calophyllum inophyllum, 90
Cardwellia, 187
Carica papaya, 91
Carnarvonia, 187
Caroline Islands:
Arthropods of Potential Medical and Veterinary Importance from Ponape, Caroline Islands, 278
Carpophyllum plumosum var. *quercifolium*, var. nov., 349, 350 (fig.)
Casuarina equisetifolia, 339
sp., 104, 107
Cenchrus echinatus, 338
Chaoborinae, 5, 9
Cheirodendron Gaudichaudii, 227
Chilocarpus embelioides, 179
Chloris inflata, 338
Chlorodrepanis virens wilsoni, 226

chlorosis, of atoll vegetation, 91
Chondrilla, 125
australiensis, 125
embolophora, 125
enastra, n. sp., 125–126
jinensis, 126
kilakaria, 126
nucula, 125
sacciformis, 126
Chondrosia, 126
Chrysomya megacephala, 278
(*Microcalliphora*) *nigripes*, 278
rufifacies, 278
Cirripeds from the Ogasawara Islands, 93–99
Cladophora colensoi, 340
climate, in relation to crops and vegetation in Hawaii, 223
Climatology:
Directional Shift of Trade Winds at Honolulu, 86–88
A Review of Concepts in Hawaiian Climatology, 215–225
Coccoloba sp., 107
coconut, 90, 91, 339
Cocos nucifera, 90, 91, 339
Cofassus Citrina, 166
Colocasia, 90
Compsocidaris pyrsacantha, 97
Compsonema, 345, 346
Coquillettidia, 37
coral atolls, vegetation of, 89–92
Corallina, 352
Cordia sebestena, 339
subcordata, 90, 91
Corethrella, 9
COWAN, RICHARD S.:
A Taxonomic Revision of the Genus *Neraudia* (Urticaceae), 231–270
crabs, 124, 125, 304, 306
Criconema squamosum, 113
Criconematinae, 111
Crinum asiaticum, 91
Cryptodromia, 124
Cryptodromiopsis, 125
Ctenocephalides canis, 278
Cucumis sativus, 117
Cucurbita Pepo, 117
Culex, 3, 8, 29, 38, 67, 81
(*Acallyntrum*), 10
bicki, 76–77 (fig.)
binigrolineatus, 76, 77–78 (fig.)
(*Culex*), 11, 68, 78
annulirostris, 79, 81–83 (fig.), 278
fatigans (= *quinquefasciatus*), 3, 79, 83, 130, 131, 132, 278
quinquefasciatus, 130, 131, 132, 278
sitiens, 3, 67, 78, 80–81 (fig.)
squamosus, 67, 78, 79–80 (fig.)
(*Culiciomyia*), 11
fragilis, 72–73 (fig.)
papuensis, 72, 73–75 (fig.)
pullus, 72, 75–76 (fig.)
(*Lophoceraomyia*), 11
fraudatrix, 69–71 (fig.)
uniformis, 69, 71–72 (fig.)
(*Lutzia*), 10
halifaxii, 68–69 (fig.)
(*Mochthogenes*), 10, 69
sp., 278
Culicidae, 3
Culicinae, 5, 9
Culiciomyia, 72
Culicoides esakii, 278
Cyclopodia sp., 278
Cynodon dactylon, 338
Cypholophus, 223
Cyrtosperma chamissonis, 90
Cystophora, 341

Dardanus asper, 304
punctulatus, 304
Darlingia, 187
Dasya collabens, 352
subtilis, n. sp., 351–352 (fig.)
D-D mix, 114
DE LAUBENFELS, M. W.:
New Sponges from the Yap Archipelago, 124–126
Dicranopteris linearis, 228, 229
Diomedea albatrus, 283–295
brachyura, 284
immutabilis, 283, 284, 285
nigripes, 284, 285, 288
Directional Shift of Trade Winds at Honolulu, 86–88
Dissuraspermum, 134, 138, 139, 141, 167–177, 180, 181
Dodonea vicosa, 301
Doliidae, 302
Dorylaimus, 114
dove, 127, 128, 129, 131, 132
barred, 129
Chinese, 128
mourning, 129
ring-necked, 129
Drepanis funerea, 226
dromiid crabs, 124, 125
Ducula oceanica townsendi, 278
Durvillea antarctica, 346, 349
harveyi, 349
willana, 348–349 (fig.)
Dyera, 134, 138
costulata, 178, 179, 180
Lowii, 179

Echinogorgia, 202
russelli, n. sp., 196, 197 (fig.), 202–204 (fig.), 213 (plate)
Echinolaelaps echidninus, 278

Echites costata, 174
malabaricus, 150
Pala, 146, 147, 150
scholaris, 146, 147
triangularis, 179
trifida, 165
venenata, 155, 156
Ecology:
Atoll Vegetation and Salinity, 89–92
Populations of Birds on Midway and the Man-Made Factors Affecting Them, 103–110
Pupae of Mosquitoes of New Guinea, 3–85
Range Extension of the File Fish, *Monocanthus melanocephalus*, 100
Ectocarpus bracchiolus, n. sp., 340–341 (fig.)
breviarticulatus, 340
pulvinatus, 344
rhodochortonoides, 340
variabilis, 340
velutinus, 344, 345
Edmondson, Charles H., *Seashore Treasures* (Note), 354
Elachista maculaeformis, 345
velutina, 344
Eleusine indica, 338
Ellisella laevis, 209
Embothrium, 187
Emilia sonchifolia, 117
Entomology:
Arthropods of Potential Medical and Veterinary Importance from Ponape, Caroline Islands, 278
Catalogue of the Heterocerous Lepidoptera from French Oceania, 315–337
Pupae of the Mosquitoes of New Guinea, 3–85
Epipolasis, 125
Eschscholzia californica, 117
Ethiopia, pupae of mosquitoes of, 9
Etorleptiomyia, 35
Eugenia sp., 90
Euphorbia geniculata, 117, 339
hypericifolia, 339
Euplassa, 187
Euplexaura mollis, 196
Euthynnus yaito, 100, 276

Factors Influencing the Development of Lateritic and Laterite Soils in the Hawaiian Islands, 307–314
Fagara semiarticulata, 299
feather trade, 292
Ficalbia, 29, 35
(*Etorleptiomyia*), 10, 35
elegans, 35–36 (fig.)
(*Mimomyia*), 10
file fish, range extension of (Note), 100
Finlaya, 42, 44, 48, 51, 52
***Finschia*—A Genus of "Nut" Trees of the Southwest Pacific, 187–194**
Finschia, emended description, 188
key to species of, 188
Finschia, 188, 190
Carrii, comb. nov., 188–190
chloroxantha, 187, 188, 190–194 (2 figs.)
densiflora, 192
ferruginiflora, sp. nov., 188, 189 (fig.)
micronesica, 192
rufa, 187, 188, 190
Waterhouseana, 192
FISHER, HARVEY I.:
Populations of Birds on Midway and the Man-Made Factors Affecting Them, 103–110
fishing, deep-sea, in the Pacific, 103, 271–275
Flora of Johnston Island, Central Pacific, 338–339
fork-tailed petrels, 289
FOSBERG, F. R.:
Atoll Vegetation and Salinity, 89–92
Flora of Johnston Island, Central Pacific, 338–339
FREDERICK, LAFAYETTE, and HAROLD ST. JOHN:
A Second Hawaiian Species of *Alectryon* (Sapindaceae), 296–301
French Oceania, catalogue of the heterocerous Lepidoptera of, 315–337
FUJIMOTO, C. K., G. DONALD SHERMAN, and ANNIE K. S. TOM:
The Origin and Composition of Pyrolusite Concretions in Hawaiian Soils, 120–123

Gallus gallus, 278
Geopelia striata striata, 129
Geoskusea, 55
Germo alalunga, 276
Gigartina lanceata, 348
pachymenioides, n. sp., 350 (fig.)
Glabrae, 139, 180
Gorgonacea, 195–214
Gorgonellidae, 196
Grammatorcynus thompsoni, 275
Grevillea, 187
Carrii, 188
densiflora, 190, 192
elaeocarpifolia, 190, 192, 193
micronesi(a)ca, 192
rufa, 188
ground water of atolls, 89–92

Haematopinus adventicius, 278
Haemoproteus of pigeons in Honolulu, 127–132
Haemoproteus columbae, 127–132
Haemosporidia of birds, 127
Haliaetus pelagicus, 287
Hapalospongidion durvilleae, n. sp., 346–347 (fig.)
gelatinosum, 348
pangoensis, 348
saxigenum, n. sp., 347–348 (fig.)
Harpagomyia, 5, 9, 27, 28, 29
genurostris, 3, 28, 29

Hawaiian Bird Survey (1935–1937), 226, 229, 230
Hawaiian Botanical Society (News Note), 279
Hawaiian Islands
  climatology of, 215–225
  Directional Shift of Trade Winds at Honolulu, 86–88
  Observations on the *Haemoproteus* of Pigeons in Honolulu, Hawaii, 127–132
  Second Hawaiian Species of *Alectryon* (Sapindaceae), 296–301
  soil studies, 120–123, 307–314
  Status of Native Land Birds on Molokai, 226–230
  Taxonomy of Genus *Neraudia*, 231–270
  tun shells of, 302–306
  tunas and tuna-like fishes of, 271–277
Hawaiian Plant Studies, 17
  A Second Hawaiian Species of *Alectryon* (Sapindaceae), 296–301
Hawaiian soils, pyrolusite concretions in, 120–123
  development of lateritic and laterite soils, 307–314
Hawaiian Tun Shells, 302–306
Hecatonema, 345, 346
Helianthus annuus, 117
Helicia, 187
  micronesica, 192
Heliopora, 195
Hemipyrellia tagaliana, 278
Hernandia ovigera, 91
Herpestes griseus, 228
Herponema, 344, 345, 346, 347
  maculaeforme, 345, 346 (fig.)
  maculaeformis, 345
  maculans, 344, 345
  pulvinatum, 344, 345, 346
  velutinum, 344, 345
Heterocerous Lepidoptera of French Oceania, catalogue of, 315–337
Heterodera marioni, 114, 115, 117, 118, 119
Hibiscus esculentus, 117
  tiliaceus, 90
Himatione sanguinea, 226, 227
hippoboscid fly, 127, 129, 131
Hiro, Fujio (see Utinomi, Huzio)
Hodgesia, 10, 28
Holaxonia, 196, 198–209
Hollandaea, 187
Holorrhena, 138
Hormosira banksii var. *gracilis*, 343, 344
HURLBUT, HERBERT S.:
  Arthropods of Potential Medical and Veterinary Importance from Ponape, Caroline Islands (Note), 278

Ichnocarpus fragrans, 179
Ichthyology:
  A Preliminary Report on *Parathunnus sibi* in Hawaiian Waters and a Key to the Tunas and Tuna-like Fishes of Hawaii, 271–277
  Range Extension of the File Fish *Monocanthus melanocephalus* (Note), 100
indicator plants, 114
Insects of Hawaii (News Note), 279
ISHII, M., M. B. LINFORD, and JULIETTE M. OLIVEIRA:
  Paratylenchus minutus, n. sp., a Nematode Parasitic on Roots, 111–119

Johnston Island, flora of, 338–339
Journal of Geophysical Research (News Note), 279
Juncella laevis, 209

KARTMANN, L.:
  Observations on the *Haemoproteus* of Pigeons in Honolulu, Hawaii, 127–132
Katsuwonus pelamis, 276
"kawakawa," 100
Keroeides, 198
  gracilis, 198
  gracilis + *pallida*, 198
  koreni, 196, 198, 213 (plate)
Keroeididae, 196
Keys to:
  the genera and species of Hawaiian Doliidae, 303
  the genera and subgenera of Culicinae, 9–11
  the sections of *Alstonia*, 138–139:
    Blaberopus, 140–141
    Dissuraspermum, 142–144
    Monuraspermum, 141–142
    Pala, 139–140
  the species of *Aedes* (*Finlaya*), 43
    Aedes (*Mucidus*), 40
    Aedes (*Stegomyia*), 56
    Anopheles, 11–12
    Armigeres, 65
    Culex (*Acallyntrum*), 76
    Culex (*Culex*), 78–79
    Culex (*Culiciomyia*), 72
    Culex (*Lophoceraomyia*), 69
    Tripteroides (*Tripteroides*), 25
    Uranotaemia, 29
  the species of *Finschia*, 188
  the species and varieties of *Neraudia*, 238–243
  the subfamilies of pupae of mosquitoes of New Guinea, 9
  the tunas and tuna-like fishes of Hawaii, 275–276
Kishinoella rara, 276
Koroeides [*sic*] *koreni*, 198

Ladd, Harry S., *et al.*, *Report of the Committee on a Treatise on Marine Ecology and Paleoecology, 1947–1948* (News Note), 280
Laelaps nuttalli, 278
Landolphia, 137
Lantana camara, 91

lateritic and laterite soils, development of, 307–314
Laurea, 233
Laxoplumeria, 138
Laysan albatross, 104, 283, 285, 287, 288, 289, 291, 293, 294
Leathesia novae-zelandiae, n. sp., 347 (fig.), 348
Leiothrix lutea, 229
LEOPOLD, LUNA B., and C. K. STIDD:
A Review of Concepts in Hawaiian Climatology, 215–225
Lepidocybium flavo-brunneum, 275
Lepidoptera of French Oceania, catalogue of, 315–337
Leptosomatomyia, 63
Lepturus, 90
repens, 338
Lignum scholare, 133, 146, 147, 149
LINDAUER, VICTOR W.:
Notes on Marine Algae of New Zealand. I., 340–352
LINFORD, M. B., JULIETTE M. OLIVEIRA, and MAMORU ISHII:
Paratylenchus minutus, n. sp., a Nematode Parasitic on Roots, 111–119
Lipeuris caponis, 278
Lomatia, 187
Lophoceraomyia, 69
Lumnitzera coccinea, 92
Lutzia, 68

Macleaya, 54
Mahoe, 299
Malaria Control Teams (U. S. Navy), 3
Malea pomum, 302, 303, 305, 306
manganese in Hawaiian soils, 120–123
mangroves, 91
Mansonia, 37
(*Coquillettidia*), 10, 36, 37
xanthogaster, 37 (fig.)
(*Mansonioides*), 10, 37
africana, 3, 37–38 (2 figs.)
uniformis, 3, 38
Mansonioides, 37
Marine algae of New Zealand, notes on, 340–352
Marshall Islands
Alcyonaria of Bikini and Other Atolls in the Marshall Group, Part I: The Gorgonacea, 195–214
Marine Biology:
Alcyonaria of Bikini and Other Atolls in the Marshall Group, Part I: The Gorgonacea, 195–214
Further Notes on Cirripeds from the Ogasawara Islands, 93–99
Hawaiian Tun Shells, 302–306
New Sponges from the Yap Archipelago, 124–126
Notes on the Marine Algae of New Zealand, 340–352
Notes on Three Beaked Whales from the Aleutian Islands, 353
Pacific Oceanic Fishery Investigations (News Note), 279
Preliminary Report on *Parathunnus sibi* in Hawaiian Waters and a Key to the Tuna and Tuna-like Fishes of Hawaii, 271–277
Range Extension of the File Fish *Monocanthus melanocephalus*, 100
Medicago sativa, 117
Megarhinini, 8
Megarhinus, 8, 10, 29
(*Toxorhynchites*) *inornatus*, 23
splendens, 3, 23
Menopon gallinae, 278
Merismostigma, 179
Mesoplodon, 353
Messerschmidia, 90
argentea, 90, 338, 339
sp., 107
Meteorology:
Directional Shift of Trade Winds at Honolulu, 86–88
Review of Concepts in Hawaiian Climatology, 215–225
Metrosideros collina, 227
sp., 263
Micronesia, research openings in (Note), 183
Midway, birds on, 103–110
Mimeteomyia, 23
Mimomyia, 35
Mitella, 95
Mochthogenes, 69
MONACHINO, J.:
A Revision of the Genus *Alstonia* (Apocynaceae), 133–182
Monocanthidae, 100
Monocanthus melanocephalus, 100
Monuraspermum, 139, 141, 159–167, 180
Moraceae, 233
mosquitoes of New Guinea, pupae of, 3–85
Mucidus, 40
Muriceidae, 195, 196
Muricella, 202
englemani, n. sp., 196, 199 (fig.), 202, 212 (plate)
Musca domestica, 278
sorbens, 278
Musgravea, 187
Myocoptes musculinus, 278
Myrionema, 348
compactum, n. sp., 343–344 (fig.)
primarium (= *M. foecundum* f. *majus*), 343
Myrsidea sp., 278

National Research Council (Note), 183
Neal, Marie C., *In Gardens of Hawaii* (News Note), 100

nematode, new species of, 111–119
Neoculex, 69
Neothunnus macropterus, 272, 275, 276
Nephrolepis exaltata, 228
Neraudia, 231–270, esp. 237–238
angulata sp. nov., 234, 235, 255–256, 266
var. *angulata* var. nov., 235, 239, 240, 241, 242, 256–258 (fig.), 268
var. *dentata* var. nov., 235, 239, 240, 241, 243, 257–259 (2 figs.), 268, 269
glabra, 232, 253
Kahoolawensis, 232, 266
kauaiensis comb. nov., 232, 259, 266
var. *Helleri* var. nov., 235, 239, 241, 243, 259, 261, 268
var. *kauaiensis* var. nov., 235, 239, 241, 242, 243, 251, 259–260 (fig.), 261, 268, 269
keys to species and varieties of, 238–243
melastomaefolia, 231, 232, 235, 243–244, 248, 253, 256, 261, 267
var. *Gaudichaudii* var. nov., 234, 235, 239, 241, 243, 244, 254–255, 268, 269
var. *Kauaiensis*, 232, 259
var. *melastomaefolia* var nov., 234, 235, 239, 240, 241, 243, 244–247 (3 figs.), 248, 249, 254, 255, 268, 269
var. *pallida* var. nov., 234, 235, 239, 240, 241, 242, 243, 255, 267
var. *parvifolia*, 232, 234, 235, 239, 240, 242, 243, 244, 246, 247, 249, 251–254 (2 figs.), 268, 269
var. *pubescens* var. nov., 234, 235, 239, 241, 242, 243, 244, 249–251 (2 figs.), 255, 268, 269
var. *uncinata* var. nov., 234, 235, 239, 240, 242, 243, 244, 246, 247–249 (2 figs.), 251, 254, 255, 268, 269
forma *truncata*, 251
ovata, 231, 232, 234, 235, 239, 241, 242, 243, 261–264 (2 figs.), 268, 269
pyrifolia, 232, 261
sericea, 231, 232, 234, 235, 240, 241, 242, 243, 244, 256, 259, 264–267 (2 figs.), 268, 269
forma *parvifolia*, 253
sp., 299
Nerium lactescens malabaricus platyphyllus, 146, 148, 149
tinctorium, 149, 150
new combinations:
Alstonia glaucescens, 144–146
Sebusi, 157
Finschia Carrii, 188–190
Neraudia kauaiensis, 232, 259
new forms:
Villogorgia zimmermani form *pallida*, 196
New Guinea, pupae of mosquitoes of, 3–85
new species:
Alectryon (§ *Mahoe*) *Mahoe*, 296–301
Alstonia Brassii, 166–167
Calantica (*Paracalantica*) *ikedai*, 93–96
Calligorgia pseudoflabellum, 196
Callithamnion levringii, 350–351 (fig.)
Chondrilla euastra, 125–126
Durvillea willana, 348–349
Echinogorgia russelli, 196
Ectocarpus bracchiolus, 340
Finschia ferruginiflora, 190
Gigartina pachymenioides, 350 (fig.)
Hapalospongidion durvillea, 346–347 (fig.)
saxigenum, 347–348
Leathesia novae-zelandiae, 347, 348
Muricella englemani, 196
Myrionema compactum, 343–344 (fig.)
Neraudia angulata, 225–226
Paratylenchus minutus, 111–119
Spatoglossum chapmanii, 341–343 (fig.)
Sphacelaria stewartensis, 340–341
Spongosorites porites, 124–125
Villogorgia zimmermani, 196
new status:
Alstonia Lenormandi var. *coriacea*, 176
var. *lanceolifera*, 176
macrophylla var. *acuminata*, 166
new varieties:
Alstonia angustifolia var. *annamensis*, 160
montana var. *filiformis*, 173–174
neriifolia var. *glabra*, 157
pneumatophora var. *petiolata*, 153
scholaris var. *velutina*, 150
Sebusi var. *szemaoensis*, 157
venenata var. *pubescens*, 156
vitiensis var. *novo-ebudica*, 171
Carpophyllum plumosum var. *quercifolium*, 349
Neraudia angulata var. *angulata*, 256–258 (fig.)
var. *dentata*, 257–259 (2 figs.)
kauaiensis var. *Helleri*, 261
var. *kauaiensis*, 259–260 (fig.)
melastomaefolia var. *Gaudichaudii*, 254–255
var. *melastomaefolia*, 244–247 (3 figs.)
var. *pallida*, 255
var. *pubescens*, 249–251 (2 figs.)
var. *uncinata*, 247–249 (2 figs.)
News Notes, 100, 183, 279, 354
Notes:
Arthropods of Potential Medical and Veterinary Importance from Ponape, Caroline Islands, 278
Notes on Three Beaked Whales from the Aleutian Islands, 353
Prevention of Deterioration Abstracts, 183–184
Range Extension of the File Fish, *Monocanthus melanocephalus*, 100
Research Openings in Micronesia, 183
Notes on Three Beaked Whales from the Aleutian Islands (Note), 353
Notes on Marine Algae of New Zealand. I., 340–352
Notornis, 293
"nut" trees of southwest Pacific, 187–194

Observations on the *Haemoproteus* of Pigeons in Honolulu, Hawaii, 127–132
Oceanodroma markhami owstoni, 289
Occidentales, 141, 180
Ochlerotatus, 42
Ochrosia, 138
ficifolia, 179
parviflora, 90
Ogasawara Islands, cirripeds from, 93–99
Olfersia aenescens, 131, 132
OLIVEIRA, JULIETTE M., MAURICE B. LINFORD, and MAMORU ISHII:
Paratylenchus minutus, n. sp., a Nematode Parasitic on Roots, 111–119
Ommastrephes sloani pacificus, 286
Ophyra chalcogaster, 278
nigra, 278
Orientales, 142, 180
Origin and Composition of Pyrolusite Concretions in Hawaiian Soils, 120–123
Ornithoctona plicata, 278
Ornithoica pusilla, 278
Ornithology:
Observations on the *Haemoproteus* of Pigeons in Honolulu, Hawaii, 127–132
Populations of Birds on Midway and the Man-Made Factors Affecting Them, 103–110
The Status of Native Land Birds on Molokai, Hawaiian Islands, 226–230
Status of Steller's Albatross, 283–295
Oxalis corniculata var. *viscidula*, 117
Oxylipeurus angularis, 278

Pachylasma ecaudatum, 93
Pachymenia, 350
Pacific Science Board, 100, 183
Pacific Science Council committees, chairmen of, 354
Pacific Science, Editors of (News Note), 100
Pacific Oceanic Fishery Investigations (News Note), 279
Pacouria, 137
Pala, 134, 137, 138, 139, 146–155, 179, 180
Paladelpha, 137, 180
angustiloba, 152
Palmeria dolei, 226
Pandanus, 90
spp., 90
papaya, 91
Paracalantica subgen. nov., 93–96
Paracis, 198, 202
orientalis, 196, 197 (fig.), 200–202, 205 (fig.), 211 (plate)
squamata, 196, 198–200, 208 (fig.), 211 (plate)
Paroreomyza maculata flammea, 226
Parasitology:
Observations on the *Haemoproteus* of Pigeons in Honolulu, Hawaii, 127–132
Parathunnus mebachi, 272
Parathunnus sibi in Hawaiian waters, 270–277
Paratylenchus, 111
anceps, 112
besoekianus, 112
bukowinensis, 112
macrophallus, 111
minutus, n. sp., 111–119
nanus, 112, 119
***Paratylenchus minutus*, n. sp., a Nematode Parasitic on Roots, 111–119**
Parsonia angustifolia, 160
Pediculus humanus var. *capitus*, 278
Pelea clusiaefolia, 228
Pemphis acidula, 91
PENN, GEORGE HENRY:
The Pupae of the Mosquitoes of New Guinea, 3–85
petrels, 104, 105, 106, 109, 289, 291
Petrosia, 126
Phaeophyceae, 340–350
Phaeornis obscura rutha, 226
Phaseolus aureus, 117
lathyroides, 117
Phyllacanthus thomasi, 96
pigeons, 107, 110, 127–132
Pilosae, 139, 180
pineapple, 111–119, 120
Pipturus, 232, 233, 244, 254
argenteus, 90
Pisonia grandis, 90
Pithecolobium dulce, 339
Placospermum, 187
Planchonella, 168
sandwicensis, 168
sp., 299
Plant pathology:
Paratylenchus minutus, n. sp., a Nematode Parasitic on Roots, 111–119
Plant physiology:
Atoll Vegetation and Salinity, 89–92
Plexauridae, 196
Pluchea indica, 339
odorata, 338, 339
plume hunters, 104, 292–294
Polygonum Fagopyrum, 117
Ponape, important arthropods of, 278
populations of birds on Midway atoll, 109
Portulaca oleracea, 117, 339
Pouzolsia, 233, 234
Preliminary Report on *Parathunnus sibi* in Hawaiian Waters and a Key to the Tunas and Tuna-like Fishes of Hawaii, 271–277
***Prevention of Deterioration Abstracts* (Note), 183–184**
Primnoa flabellum, 207
Primnoidae, 196
Prosopis juliflora, 339
Proteaceae, 187, 192
protozoa in blood of birds, 127–132

Protozoology:
Observations on the *Haemoproteus* of Pigeons in Honolulu, Hawaii, 127–132
Prymnoa flabellum, 207
Pseudoboletia sp., 96
Pseudoficalbia, 29, 30
Pseudolynchia canariensis, 127, 128, 129, 131, 132
Pseudoskusea, 54
Psittacirostra psittacea, 226
Pterodroma phaeopygia sandwichensis, 228
Pupae of the Mosquitoes of New Guinea, 3–85
"puraka," 90
pyrolusite concretions in Hawaiian soils, 120–123

Rachisoura, 23
Radfordia affinis, 278
Ralfsia, 348
range of file fish, extension of, 100
Raphanus sativus, 117
rat, introduction into Midway, 104, 106, 107, 110
Rattus rattus alexandrinus, 228
Rauwolfia, 138, 177, 179
Research Openings in Micronesia (Note), 183
Revision of the Genus *Alstonia* (Apocynaceae), 133–182
Rhizophora, 91
Rhodophyceae, 350–352
Richardia brasiliensis, 117
RICHARDSON, FRANK:
The Status of Native Land Birds on Molokai, Hawaiian Islands, 226–230
Richardsonia, 117
Ricinus communis, 339
rock-thrush, red-bellied, 291
Rotylenchulus reniformis, 117
Rotylenchus multicinctus, 117
Rubiaceae, 179

Sagartidae, 306
ST. JOHN, HAROLD, and LAFAYETTE FREDERICK:
A Second Hawaiian Species of *Alectryon* (Sapindaceae): Hawaiian Plant Studies 17, 296–301
salinity of atolls, 89–92
Sapindaceae, 296
Sarcochlamys, 233
Sarcophaga knabi, 278
peregrina, 278
Sarcophycus potatorum, 349
Sarda chilensis, 276
Scaevola frutescens, 89, 90, 338, 339
sp., 104, 105, 106, 107, 108
Scalpellum, 95
SCAP, Natural Resources Section, publications of (News Note), 279
SCHEFFER, VICTOR B.:
Notes on Three Beaked Whales from the Aleutian Islands, 353
Scillaelepas, 96
Scirpearia, 207
erythraea, 196, 197 (fig.), 203 (fig.), 207–209, 211 (plate)
furcata, 209
var. *robusta*, 209
robusta, 209
Scleraxonia, 196–198
Seashore Treasures (News Note), 354
Sematbunnus itosibi, 275
Setaria verticillata, 339
shearwaters, 104, 105, 291
shells, Hawaiian tun, 302–306
SHERMAN, G. DONALD:
Factors Influencing the Development of Laterite and Lateritic Soils in the Hawaiian Islands, 307–314
SHERMAN, G. D., A. K. S. TOM, and C. K. FUJIMOTO:
The Origin and Composition of Pyrolusite Concretions in Hawaiian Soils, 120–123
"Siboga" Expedition, 200
Siphona irritans, 278
Skusea, 54
Smilium, 94, 95, 96
boninense, 93
hypocrites, 96
Soil Science:
Factors Influencing the Development of Laterite and Lateritic Soils in the Hawaiian Islands, 307–314
The Origin and Composition of Pyrolusite Concretions in Hawaiian Soils, 120–123
Sonchus oleraceus, 339
Sonneratia, 92
Soulamea amara, 90
South Pacific Commission, Third Session, *Proceedings* (News Note), 355
Spatoglossum chapmanii, n. sp., 341–343
cornigerum, 343
solierii, 343
The Spell of the Pacific: An Anthology (News Note), 280
Sphacelaria borneti, 341
chorizocarpa, 341
pulvinata, 344
reinkei, 341
stewartensis, n. sp., 340–341 (fig.)
sympodicarpa, 341
velutina, 344
sponges from Yap, 124–126
Spongosorites, 124, 125
placenta, 124
porites, n. sp., 124–125
suluensis, 125
Status of Steller's Albatross, 283–295
Stegomyia, 55–56
Steller's albatross, status of, 283–295
Stenotaphrum subulatum, 90
Streblonema ? velutinum, 344

Streptopelia chinensis, 128
decaocto, 129
STIDD, C. K., and L. B. LEOPOLD:
A Review of Concepts in Hawaiian Climatology, 215–225
Stolonifera, 195
Stomoxys calcitrans, 278
storm-types in Hawaii, 215–218
Suberogorgia mollis, 196–198 (fig.), 203 (fig.), 214 (plate)
verriculata, 196, 198
Suberogorgiidae, 196–198
Sula sula rubripes, 131
Suriana maritima, 90
Symplocaceae, 137
Symplocos, 137, 178, 179
coccinea var. *Benthamii*, 178

Tabernaemontana, 138, 169
alternifolia, 146, 147
citrifolia, 146, 149
scholaris, 150
Tagetes erecta, 117
Taonia, 343
"Tanager" Expedition (1922), 108, 109
taro, 90
Taxonomic Revision of the Genus *Neraudia* (Urticaceae), 231–270
Telopea, 187
Terminalia catappa, 91, 339
litoralis, 90
terns, 104, 105, 291
Terrestrial Magnetism and Atmospheric Research (News Note), 279
Thespesia populnea, 91, 339
Thevetia thevetioides, 339
Thuarea involuta, 91
Thunnus orientalis, 276
thynnus, 276
TINKER, SPENCER:
The Hawaiian Tun Shells, 302–306
Toeplitzella, 209
laevis, 196, 197 (fig.), 203 (fig.), 209, 211 (plate)
TOM, ANNIE K. S., G. DONALD SHERMAN, and CHARLES K. FUJIMOTO:
The Origin and Composition of Pyrolusite Concretions in Hawaiian Soils, 120-123
Tonduzia, 135, 179–180
longifolia, 179, 180
Tonna canaliculata, 302, 303, 305, 306
dolium, 302, 303, 304, 305
melanostoma, 302, 303, 304, 305, 306
perdix, 302, 303, 304, 305, 306
Topsentia, 125
Torishima ("Bird Island"), 285–289
Touchardia, 233
Trachelospermum lucidum, 179
trade winds, shift of, at Honolulu, 86–88
Tribulus cistoides, 338, 339
Tricholaena repens, 117
Trilasmis (*Trilasmis*) *eburnea*, 96
Tripteroides, 23, 25
(*Mimeteomyia*), 10
argenteiventris, 23–25 (fig.)
(*Rachisoura*), 10
(*Tripteroides*), 9
bimaculipes, 25–26 (fig.)
brevipalpis, 25, 26–27 (fig.)
Triticum aestivum, 117
Triumfetta procumbens, 91
Trochalopterum canorum, 227
Trouessartia rosterii, 278
Tubipora musica, 195
tunas and tuna-like fishes of Hawaii, key to, 275–276
tun shells, Hawaiian, 302–306

Urticaceae, 231, 233, 253
U. S. Navy Malaria Control Teams, 3
UTINOMI, HUZIO:
Further Notes on Cirripeds from the Ogasawara Islands, 93–99
Uranotaenia, 8, 28, 29, 38
(*Pseudoficalbia*), 10
albescens, 29, 32–33 (fig.)
argyrotarsis, 29, 33–35 (fig.)
nigerrima, 3, 29, 30–31 (fig.), 32
papua, 3, 29–30 (fig.)
quadrimaculata, 29, 30, 32
(*Uranotaenia*), 10
neotibialis, 35
setosa, 35
tibioclada, 35

vegetation of atolls, 89–92
Vesteria coccinea, 229
VIETTE, PIERRE E. L.:
Catalogue of the Heterocerous Lepidoptera from French Oceania, 315–337. (Inasmuch as this Catalogue is in itself a virtual index, the entries in it will not be incorporated in this Index to Volume III.)
Vigna marina, 91
sinensis, 117
Villogorgia compressa, 196, 197 (fig.), 203 (fig.), 206–207, 212 (plate)
zimmermani, n. sp., 196, 197 (fig.), 201 (fig.), 204–206, 213 (plate)
form *pallida* new, 196, 197 (fig.), 201 (fig.), 206, 213 (plate)
Vitex trifolia, 339

Wallacea, 3
weather:
Directional Shift of Trade Winds at Honolulu, 86–88
in Hawaii, 215–225

WELSH, JAMES P.:
Range Extension of the File Fish *Monocanthus melanocephalus*, 100
WENTWORTH, C. K.:
Directional Shift of Trade Winds at Honolulu, 86–88
whales, beaked, from Aleutian Islands, 353
WHITE, C. T.:
Finschia—A Genus of "Nut" Trees of the Southwest Pacific, 187–194
Wikstroemia Hemsleyana, 157, 158
Winchia, 133, 134, 136, 137, 138, 139, 144, 180
calophylla, 144, 145, 146
glaucescens, 144, 145, 146
wind-shift at Honolulu, 86–88
winds, in Hawaii, 222–223
Wrightia, 138, 150
tinctoria, 150

Xestospongia exigua, 126
Xiphophora chondrophylla, 341, 346

Yap, new sponges from, 124–126

Zea Mays, 117
Zenaidura macroura carolinensis, 129
Zimmerman, E. C. (News Note), 279
Zinnia elegans, 117
Ziphius cavirostris, 353
Zoology:
The Alcyonaria of Bikini and Other Atolls in the Marshall Group. Part I: The Gorgonacea, 195–214
Arthropods of Potential Medical and Veterinary Importance from Ponape, Caroline Islands, 278
Catalogue of the Heterocerous Lepidoptera from French Oceania, 315–337
Further Notes on Cirripeds from the Ogasawara Islands, 93–99
Hawaiian Tun Shells, 302–306
New Sponges from the Yap Archipelago, 124–126
Notes on Three Beaked Whales from the Aleutian Islands, 353
Observations on the *Haemoproteus* of Pigeons in Honolulu, Hawaii, 127–132
Paratylenchus minutus, n. sp., a Nematode Parasitic on Roots, 111–119
Populations of Birds on Midway and the Man-Made Factors Affecting Them, 103–110
A Preliminary Report on *Parathunnus sibi* in Hawaiian Waters and a Key to the Tunas and Tuna-like Fishes of Hawaii, 271–277
The Pupae of the Mosquitoes of New Guinea, 3–85
Range Extension of the File Fish *Monocanthus melanocephalus*, 100
The Status of Native Land Birds on Molokai, Hawaiian Islands, 226–230
The Status of Steller's Albatross, 283–295
Zosterops palpebrosa alani, 290
palpebrosus japonicus, 227